L Number	Hits	Search Text	DB	Time stamp
2	2	("20030081840").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/28 12:00
3	2	("6683993").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/28 12:04
4	2	("6088484").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/28 13:21
5	2	("5692012").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/28 13:25
6	2	("5341441").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/28 13:28
7	0	("blocknear2sizewith(codingorencodingorcompression)near2efficien$5").PN	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/28 13:29
8	115	block near2 size with (coding o rencoding or compression) near2 efficien$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/28 13:51
9	74850	dictionary or codebook or code adj1 book	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/28 13:30
10	14	(block near2 size with (coding o rencoding or compression) near2 efficien$5) and (dictionary or codebook or code adj1 book)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/28 13:41
11	8	((block near2 size with (coding o rencoding or compression) near2 efficien$5) and (dictionary or codebook or code adj1 book)) and image	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/28 13:41

12	268	block near2 size same (coding o rencoding or compression) near2 efficien$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/28 14:05
13	31	(dictionary or codebook or code adj1 book) and (block near2 size same (coding o rencoding or compression) near2 efficien$5) not ((block near2 size with (coding or rencoding or compression) near2 efficien$5) and (dictionary or codebook or code adj1 book))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/28 14:06
15	155	block near2 size same vector adj2 quantiz$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/28 13:52
14	71	block near2 size with vector adj2 quantiz$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/28 14:04
16	1912	block near2 size same match$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/28 14:12
17	108	(dictionary or codebook or code adj1 book) and (block near2 size same match$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/28 14:05
19	22839	(coding or encoding or compression) near2 efficien$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/28 14:05
20	344	block near2 size same (coding or encoding or compression) near2 efficien$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/28 14:06
21	34	(dictionary or codebook or code adj1 book) and (block near2 size same (coding or encoding or compression) near2 efficien$5) not ((block near2 size with (coding o rencoding or compression) near2 efficien$5) and (dictionary or codebook or code adj1 book))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/28 14:06
22	4	((dictionary or codebook or code adj1 book) and (block near2 size same (coding or encoding or compression) near2 efficien$5) not ((block near2 size with (coding o rencoding or compression) near2 efficien$5) and (dictionary or codebook or code adj1 book))) not ((dictionary or codebook or code adj1 book) and (block near2 size same (coding o rencoding or compression) near2 efficien$5) not ((block near2 size with (coding o rencoding or compression) near2 efficien$5) and (dictionary or codebook or code adj1 book)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/28 14:07

23	36247	match$4 near2 (pattern or object)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/28 15:27
24	35553	block near2 size	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/28 14:37
25	21	(match$4 near2 (pattern or object)) with (block near2 size)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/28 14:13
26	61	(match$4 near2 (pattern or object)) same (block near2 size)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/28 14:13
27	3	((coding or encoding or compression) near2 efficien$5) and ((match$4 near2 (pattern or object)) with (block near2 size))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/28 14:13
28	11	((coding or encoding or compression) near2 efficien$5) and ((match$4 near2 (pattern or object)) same (block near2 size))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/28 14:17
29	657	variable adj2 (block near2 size)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/28 14:18
30	40	(match$4 near2 (pattern or object)) and (variable adj2 (block near2 size))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/28 14:18
31	57796	(block or region or subregion) near2 size	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/28 14:41
32	1086	select$4 adj3 ((block or region or subregion) near2 size)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/28 14:43

34	117	(select$4 adj3 ((block or region or subregion) near2 size)) and ((coding or encoding or compression) near2 efficien$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/28 14:44
33	14	(select$4 adj3 ((block or region or subregion) near2 size)) same ((coding or encoding or compression) near2 efficien$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/28 14:44
35	0	(dictionary or codebook or code adj1 book) and ((select$4 adj3 ((block or region or subregion) near2 size)) same ((coding or encoding or compression) near2 efficien$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/28 14:44
36	14	(dictionary or codebook or code adj1 book) and ((select$4 adj3 ((block or region or subregion) near2 size)) and ((coding or encoding or compression) near2 efficien$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/28 15:00
37	35	("4072984" | "4081831" | "4238768" | "4597005" | "4628344" | "4654484" | "4807298" | "4862261" | "4922508" | "4994927" | "5021971" | "5023910" | "5046027" | "5060285" | "5068723" | "5086471" | "5124791" | "5136374" | "5136663" | "5151968" | "5166788" | "5172228" | "5204899" | "5210798" | "5225090" | "5231485" | "5235418" | "5247348" | "5247357" | "5263119" | "5272529" | "5313534" | "5339164" | "5341441" | "5457495").PN.	USPAT	2004/10/28 14:57
38	10	5592227.URPN.	USPAT	2004/10/28 14:57
39	2188	(optimum or effective or efficien$4) with ((block or region or subregion) near2 size)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/28 15:01
40	2450	(match$4 near2 (pattern or object)) and (dictionary or codebook or code adj1 book)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/28 15:01
41	10	((optimum or effective or efficien$4) with ((block or region or subregion) near2 size)) and ((match$4 near2 (pattern or object)) and (dictionary or codebook or code adj1 book))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/28 15:05
42	2450	(dictionary or codebook or code adj1 book) and (match$4 near2 (pattern or object))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/28 15:05
43	10	((optimum or effective or efficien$4) with ((block or region or subregion) near2 size)) and ((dictionary or codebook or code adj1 book) and (match$4 near2 (pattern or object)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/28 15:06
44	2	("5468069" | "5521988").PN.	USPAT	2004/10/28 15:09
45	15	5521988.URPN.	USPAT	2004/10/28 15:13

46	552	match$4 near2 ((pattern or object) near3 size)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/28 15:28
47	1	((optimum or effective or efficien$4) with ((block or region or subregion) near2 size)) and (match$4 near2 ((pattern or object) near3 size))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/28 15:29
48	5	((coding or encoding or compression) near2 efficien$5) and (match$4 near2 ((pattern or object) near3 size))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/28 16:00
49	65	frequency near2 occurance	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/28 16:13
50	9	(dictionary or codebook or code adj1 book) and (frequency near2 occurance)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/28 16:06
51	2480	frequency with reference with (remov$4 or delect$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/28 16:12
52	24	frequency with template with (remov$4 or delect$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/28 16:12
54	0	(dictionary or codebook or code adj1 book) and (frequency with template with (remov$4 or delect$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/28 16:10
53	10	(dictionary or codebook or code adj1 book) and (frequency with reference with (remov$4 or delect$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/28 16:10
55	208	(low adj1 frequency) with reference with (remov$4 or delect$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/28 16:12

56	1	low adj1 frequency with template with (remov$4 or delect$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/28 16:13
57	15040	frequency near2 occurrence	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/28 16:14
58	0	(dictionary or codebook or code adj1 book) and ((low adj1 frequency) with reference with (remov$4 or delect$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/28 16:14
59	0	(dictionary or codebook or code adj1 book) and (low adj1 frequency with template with (remov$4 or delect$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/28 16:14
60	1176	(dictionary or codebook or code adj1 book) and (frequency near2 occurrence)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/28 16:15
61	153	(match$4 near2 (pattern or object)) and ((dictionary or codebook or code adj1 book) and (frequency near2 occurrence))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/28 16:19
65	3890	(dictionary or codebook or code adj1 book) with (size or volume)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/28 16:21
66	29	((match$4 near2 (pattern or object)) and ((dictionary or codebook or code adj1 book) and (frequency near2 occurrence))) and ((dictionary or codebook or code adj1 book) with (size or volume))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/28 16:21